



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/691,885	10/23/2003	Timothy P. McKee	MFCP.109834	8986

45809 7590 02/13/2006  
SHOOK, HARDY & BACON L.L.P.  
(c/o MICROSOFT CORPORATION)  
2555 GRAND BOULEVARD  
KANSAS CITY, MO 64108-2613

EXAMINER
----------

PESIN, BORIS M

ART UNIT	PAPER NUMBER
----------	--------------

2174

DATE MAILED: 02/13/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/691,885	MCKEE ET AL.	
	<b>Examiner</b>	<b>Art Unit</b>	
	Boris Pesin	2174	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-44 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-44 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                        | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)               | Paper No(s)/Mail Date. ____.  |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date ____.  | 6) <input type="checkbox"/> Other: ____.                                    |

## DETAILED ACTION

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-44 are rejected under 35 U.S.C. 102(b) as being anticipated by Hahn et al. (US 5751287).

In regards to claim 1, Hahn teaches a computer system for presenting stored data comprising: a data store including a plurality of items (Figure 4), wherein at least a portion of said items include one or more field entries (Figure 4, Elements 460, 480 and 500); and an explorer which interacts with said data store to select items having one or more desired field entries, wherein said explorer displays said selected items according to an explorer display schema associated with said explorer (Figure 10, Element 1080).

In regards to claim 2, Hahn teaches a computer system of claim 1, wherein said explorer display schema includes one or more decorative elements presented with said selected items (Figure 10, *the tab layout*).

In regards to claim 3, Hahn teaches a computer system of claim 1, wherein said explorer display schema includes one or more shell view schemas, wherein one of said shell view schemas is utilized to display a subset of said selected items (Figure 10, *the tab layout*).

In regards to claim 4, Hahn teaches a computer system of claim 3, wherein one or more of the shell view schemas includes one or more display aspects appropriate for displaying said subset of selected items to the user (Figure 10, Element 1080).

In regards to claim 5, Hahn teaches a computer system of claim 1, wherein said explorer utilizes a shell display schema associated with a shell browser to display one or more of said selected item (Figure 10, Elements 1080, and 1090).

In regards to claim 6, Hahn teaches a computer system of claim 1, wherein said explorer utilizes one or more item display schemas associated with a shell browser to provide one or more display elements included in the display of one or more selected items (Figure 10, Element 1080).

In regards to claim 7, Hahn teaches a computer system of claim 1, wherein said explorer display schema includes verbs related to said selected items (Figure 7A, Element 780).

In regards to claim 8, Hahn teaches a computer system of claim 7, wherein said verbs are associated with applications capable of performing said verbs with respect to one or more of said selected items (Figure 7A, Element 780).

In regards to claim 9, Hahn teaches a computer system of claim 1, wherein said explorer display schema includes one or more data queries which are associated with the selected items (Figure 20B).

In regards to claim 10, Hahn teaches a computer system of claim 9, wherein said explorer is configured to display results of one or more of said data queries (Figure 20B).

In regards to claim 11, Hahn teaches a computer-implemented method for presenting one or more items in a data store to a user, the method comprising: selecting a desired field entry corresponding to a field entry associated with at least one item in the data store, wherein at least a portion of the items in the data store include one or more field entries (Figure 10, Element 1110); defining an explorer display schema (Figure 10, *the tab layout*); accessing said data store to select one or more items including said desired field entry (Figure 10); and displaying one or more of said selected items to the user according to said explorer display schema (Figure 10, Element 1080).

In regards to claim 12, Hahn teaches a method of claim 11, wherein defining said explorer display schema includes defining one or more decorative elements to be included in a display according to said explorer display schema (Figure 10, *the tab layout*).

In regards to claim 13, Hahn teaches a method of claim 11, wherein defining said explorer display schema includes defining one or more shell view schemas, wherein one of said shell view schemas is utilized to display a subset of said selected items (Figure 10, *the tab layout*).

In regards to claim 14, Hahn teaches a method of claim 11, wherein displaying one or more of said items includes utilizing a shell display schema associated with a shell browser to display one or more selected items (Figure 10, Element 1080).

In regards to claim 15, Hahn teaches a method of claim 11, wherein displaying one of the said selected items includes utilizing an item display schema associated with

a shell browser to provide one or more display attributes included in the display of one or more selected items (Figure 10, *the tab layout*).

In regards to claim 16, Hahn teaches a method of claim 11, wherein displaying said selected items includes displaying verbs which are related to said selected items (Figure 7A, Element 780).

In regards to claim 17, Hahn teaches a method of claim 16, wherein said verbs are associated with applications capable of performing said verbs with respect to one or more of said set of selected items (Figure 7A, Element 780).

In regards to claim 18, Hahn teaches a method of claim 11, wherein displaying said selected items includes providing one or more data queries which are associated with said selected items (Figure 20B).

In regards to claim 19, Hahn teaches a method of claim 18, wherein said explorer is configured to display results of one or more of said data queries (Figure 20B).

In regards to claim 20, Hahn teaches an explorer for presenting a plurality of items in a data store to a user comprising: a field entry selection component for selecting a desired field entry corresponding to a field entry associated with at least one of said items in the data store, wherein at least a portion of the items in the data store include one or more field entries (Figure 10, Element 1110); an item selection component which is configured to access said data store to select one or more items having the desired field entry (Figure 10); and a display presentation component which is configured to present one or more of said selected items to a user according to an explorer display schema (Figure 10).

In regards to claim 21, Hahn teaches an application program executable by a computer for presenting one or more items from a data store to a user, said application comprising: an item selection module which is configured to access said data store and to select one or more items from the data store having a desired field entry, wherein at least a portion of the items in the data store include one or more field entries, and wherein said desired field entry is selected from said field entries (Figure 10, Element 1110); a shell interaction module which is configured to interact with a shell browser to present one or more of said selected items to a user according to an explorer display schema (Figure 10).

In regards to claim 22, Hahn teaches an application of claim 21, wherein said explorer display schema includes one or more decorative elements to be included in a display according to said explorer display schema (Figure 10, *the tab layout*).

In regards to claim 23, Hahn teaches an application of claim 21, wherein said shell interaction module is configured to provide one or more shell view schemas, wherein one of said shell view schemas is utilized to display a subset of selected items (Figure 10, Element 1080).

In regards to claim 24, Hahn teaches an application of claim 21, wherein said shell interaction module is configured to utilize one or more shell display schemas associated with a shell browser to display one or more selected items (Figure 10).

In regards to claim 25, Hahn teaches an application of claim 21, wherein said shell interaction module is configured to utilize an item display schema associated with

a shell browser to provide one or more display attributes included in the display of one or more selected items (Figure 10, *the tab layout*).

In regards to claim 26, Hahn teaches an application of claim 21, wherein said explorer display schema includes verbs which are related to said selected items (Figure 7A, Element 780).

In regards to claim 27, Hahn teaches an application of claim 26, wherein said verbs are associated with applications capable of performing said verbs with respect to one or more of said selected items (Figure 7A, Element 780).

In regards to claim 28, Hahn teaches an application of claim 21, wherein said explorer display schema includes one or more data queries which are associated with the selected items (Figure 20B).

In regards to claim 29, Hahn teaches a computerized method for presenting a plurality of items in a data store to a user, said method comprising: selecting a desired field entry corresponding to a field entry associated with at least one of said plurality of items (Figure 10, Element 1110), wherein at least a portion of said plurality of items are associated with one or more field entries (Figure 10); defining an explorer display schema (Figure 10, *the tab layout*); accessing said data store to select one or more items having said desired field entry (Figure 10, Element 1110); and interacting with a shell browser to present one or more of said selected items to the user according to said explorer display schema (Figure 10).

In regards to claim 30, Hahn teaches a method of claim 29, wherein said explorer display schema includes one or more decorative elements, one or more verbs



associated with said selected items and/or one or more data queries associated with said selected items (Figure 20B).

In regards to claim 31, Hahn teaches a method of claim 29, wherein interacting with said shell browser includes providing one or more shell view schemas, wherein one of said shell view schemas is utilized to display a subset of said selected items (Figure 10, Element 1080).

In regards to claim 32, Hahn teaches a method of claim 29, wherein interacting with said shell browser includes utilizing one or more shell display schemas associated with said shell browser to display one or more selected items (Figure 10).

In regards to claim 33, Hahn teaches a method of claim 29, wherein interacting with said shell browser includes utilizing an item display schema associated with said shell browser to provide one or more display attributes included in the display of one or more selected items (Figure 10, *the tab layout*).

In regards to claim 34, Hahn teaches a computerized method for establishing an explorer for presenting to a user items in a data store, said method comprising: selecting a desired field entry corresponding to a field entry associated with at least one of said items in the data store, wherein at least a portion of said items are associated with one or more field entries (Figure 10, Element 1110); defining explorer attributes associated with said explorer (Figure 10, *the tab layout*); and presenting one or more items in the data store associated with said desired field entry to the user with a display schema including said explorer attributes (Figure 10).

In regards to claim 35, Hahn teaches method of claim 34, wherein said desired field entry is associated with an item property desired for each item displayed in said explorer (Figure 10).

In regards to claim 36, Hahn teaches a method of claim 34, wherein said explorer attributes include decorative elements, one or more verbs associated with said presented items, and/or one or more data queries associated with said presented items (Figure 20B).

In regards to claim 37, Hahn teaches a method of claim 34, wherein said explorer attributes include one or more shell view schemas, wherein one of said shell view schemas is utilized to display a subset of said presented items (Figure 10, Element 1080).

In regards to claim 38, Hahn teaches a method of claim 34, wherein said display schema includes one or more shell display schemas associated with a shell browser to display one or more presented items (Figure 10).

In regards to claim 39, Hahn teaches a method of claim 34, wherein said display schema includes utilizing an item display schema associated with a shell browser to provide one or more display attributes included in the display of one or more presented items (Figure 10, *the tab layout*).

In regards to claim 40, Hahn teaches a computerized method for establishing an explorer for presenting to a user a plurality of items in a data store, said method comprising: selecting a desired field entry corresponding to a field entry associated with at least one of said plurality of items, wherein at least a portion of said plurality of items

are associated with one or more field entries (Figure 10, Element 1110); defining explorer attributes associated with said explorer (Figure 10); and interacting with a shell browser to present one or more items in the data store associated with said desired field entry to the user with a display schema including said explorer attributes (Figure 10).

In regards to claim 41, Hahn teaches a method of claim 40, wherein said explorer attributes include decorative elements, one or more verbs associated with said presented items, and/or one or more data queries associated with said presented items (Figure 20B).

In regards to claim 42, Hahn teaches a method of claim 40, wherein said explorer attributes include one or more shell view schemas, wherein one of said shell view schemas is utilized to display a subset of said presented items (Figure 10, Element 1080).

In regards to claim 43, Hahn teaches a method of claim 40, wherein interacting with said shell browser includes utilizing a shell display schema provided by said shell browser to display one or more presented item to the user (Figure 10, Elements 1110, and 1080).

In regards to claim 44, Hahn teaches a method of claim 40, wherein interacting with said shell browser includes utilizing one or more display attributes from an item display schema provided by said shell browser to display one or more presented item to the user (Figure 10, *the tab layout*).

***Inquiry***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Boris Pesin whose telephone number is (571) 272-4070. The examiner can normally be reached on Monday-Friday except every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kristine Kincaid can be reached on (571) 272-4063. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

BP

  
KRISTINE KINCAID  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100